

všechny kluzáky, azeno podle: abeceda

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t že
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	121.4	121.2
1	370 kg	450 kg	15 m	Astir cs G-102	99.4	97.8
1	318 kg	318 kg	15 m	ASW-15	95.5	95.5
1	347 kg	408 kg	15 m	ASW-15B	96.5	96.5
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	345 kg	500 kg	15 m	ASW 27B	115.8	112.4
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	345 kg	450 kg	15 m	DG-200 15m	106.9	105.4
1	350 kg	450 kg	17 m	DG-200 17m	108.6	106.7
1	350 kg	480 kg	15 m	DG-202 15m	107.0	105.5
1	360 kg	450 kg	17 m	DG-202 17m	108.8	107.1
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
2	580 kg	580 kg	17,5 m	G-103 Twin II	95.9	95.9
2	585 kg	600 kg	18 m	G-103 Twin III	97.4	97.4
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	440 kg	600 kg	18 m	HpH 304M SHARK 18m	119.0	115.3
1	380 kg	600 kg	18 m	HpH 304s SHARK 18m	119.3	112.8
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m	102.7	102.7
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
2	472 kg	500 kg	16,2 m	L-13 Blanik	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik	76.0	76.0
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m	78.6	78.6
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2

Pos ádk a	Hmot. min	Hmot. max	Rozp t í	Typ kluzáku	CZ	CZ bez p í t že
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	312 kg	312 kg	15 m	LS-1c	99.1	99.1
1	341 kg	341 kg	15 m	LS-1d	100.1	100.1
1	342 kg	391 kg	15 m	LS-1f	101.0	100.1
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	368 kg	472 kg	15 m	LS 3 (3a) 15m	107.1	105.9
1	370 kg	370 kg	17 m	LS 3 (3a) 17m	107.6	107.6
1	342 kg	472 kg	15 m	LS 4	105.3	102.1
1	360 kg	525 kg	15 m	LS 6c 15m	113.0	110.4
1	380 kg	525 kg	18 m	LS 6c 18m +W	117.8	113.7
1	350 kg	525 kg	18 m	LS 8, LS 8b 18m	116.1	110.5
1	355 kg	525 kg	15 m	LS 8s 15m	111.7	108.7
1	370 kg	575 kg	18 m	LS 8s 18m	116.5	111.5
1	410 kg	575 kg	18 m	LS 8t, LS 8st 18m	116.4	113.3
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	690 kg	850 kg	26,58 m	Noname	127.6	125.0
1	327 kg	390 kg	15 m	Std. Cirrus	99.1	97.8
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	495 kg	565 kg	18 m	Ventus 2cxm 18m	119.3	117.8
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	455 kg	565 kg	18 m	Ventus 2cxt 18m	119.6	116.7
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	388 kg	525 kg	15 m	Ventus bt 15m	112.2	110.7
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	415 kg	525 kg	15 m	Ventus cm 15m +W	113.7	112.2
1	420 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.6
1	400 kg	525 kg	15 m	Ventus ct 15m +W	114.0	112.2
1	405 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.1
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1

všechny kluzáky, azeno podle: index s p í t ž í

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t ž e
1	690 kg	850 kg	26,58 m	Noname	127.6	125.0
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	121.4	121.2
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	455 kg	565 kg	18 m	Ventus 2cxt 18m	119.6	116.7
1	380 kg	600 kg	18 m	HpH 304s SHARK 18m	119.3	112.8
1	495 kg	565 kg	18 m	Ventus 2cxm 18m	119.3	117.8
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	440 kg	600 kg	18 m	HpH 304M SHARK 18m	119.0	115.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	380 kg	525 kg	18 m	LS 6c 18m +W	117.8	113.7
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	370 kg	575 kg	18 m	LS 8s 18m	116.5	111.5
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	410 kg	575 kg	18 m	LS 8t, LS 8st 18m	116.4	113.3
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	350 kg	525 kg	18 m	LS 8, LS 8b 18m	116.1	110.5
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	405 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.1
1	345 kg	500 kg	15 m	ASW 27B	115.8	112.4
1	420 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.6
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	400 kg	525 kg	15 m	Ventus ct 15m +W	114.0	112.2

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	415 kg	525 kg	15 m	Ventus cm 15m +W	113.7	112.2
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	360 kg	525 kg	15 m	LS 6c 15m	113.0	110.4
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	388 kg	525 kg	15 m	Ventus bt 15m	112.2	110.7
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
1	355 kg	525 kg	15 m	LS 8s 15m	111.7	108.7
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
1	360 kg	450 kg	17 m	DG-202 17m	108.8	107.1
1	350 kg	450 kg	17 m	DG-200 17m	108.6	106.7
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	370 kg	370 kg	17 m	LS 3 (3a) 17m	107.6	107.6
1	368 kg	472 kg	15 m	LS 3 (3a) 15m	107.1	105.9
1	350 kg	480 kg	15 m	DG-202 15m	107.0	105.5
1	345 kg	450 kg	15 m	DG-200 15m	106.9	105.4
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	342 kg	472 kg	15 m	LS 4	105.3	102.1
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m	102.7	102.7
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	342 kg	391 kg	15 m	LS-1f	101.0	100.1
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	341 kg	341 kg	15 m	LS-1d	100.1	100.1
1	370 kg	450 kg	15 m	Astir cs G-102	99.4	97.8
1	312 kg	312 kg	15 m	LS-1c	99.1	99.1
1	327 kg	390 kg	15 m	Std. Cirrus	99.1	97.8
2	585 kg	600 kg	18 m	G-103 Twin III	97.4	97.4
1	347 kg	408 kg	15 m	ASW-15B	96.5	96.5
2	580 kg	580 kg	17,5 m	G-103 Twin II	95.9	95.9
1	318 kg	318 kg	15 m	ASW-15	95.5	95.5
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m	78.6	78.6
2	472 kg	500 kg	16,2 m	L-13 Blanik	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik	76.0	76.0

všechny kluzáky, azeno podle: index bez p í t že

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t že
1	690 kg	850 kg	26,58 m	Noname	127.6	125.0
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	121.4	121.2
1	495 kg	565 kg	18 m	Ventus 2cxm 18m	119.3	117.8
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	455 kg	565 kg	18 m	Ventus 2cxt 18m	119.6	116.7
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	420 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.6
1	440 kg	600 kg	18 m	HpH 304M SHARK 18m	119.0	115.3
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	405 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.1
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	380 kg	525 kg	18 m	LS 6c 18m +W	117.8	113.7
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	410 kg	575 kg	18 m	LS 8t, LS 8st 18m	116.4	113.3
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	380 kg	600 kg	18 m	HpH 304s SHARK 18m	119.3	112.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	345 kg	500 kg	15 m	ASW 27B	115.8	112.4
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	415 kg	525 kg	15 m	Ventus cm 15m +W	113.7	112.2
1	400 kg	525 kg	15 m	Ventus ct 15m +W	114.0	112.2
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	370 kg	575 kg	18 m	LS 8s 18m	116.5	111.5
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	388 kg	525 kg	15 m	Ventus bt 15m	112.2	110.7
1	350 kg	525 kg	18 m	LS 8, LS 8b 18m	116.1	110.5
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	360 kg	525 kg	15 m	LS 6c 15m	113.0	110.4
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	355 kg	525 kg	15 m	LS 8s 15m	111.7	108.7
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	370 kg	370 kg	17 m	LS 3 (3a) 17m	107.6	107.6
1	360 kg	450 kg	17 m	DG-202 17m	108.8	107.1
1	350 kg	450 kg	17 m	DG-200 17m	108.6	106.7
1	368 kg	472 kg	15 m	LS 3 (3a) 15m	107.1	105.9
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	350 kg	480 kg	15 m	DG-202 15m	107.0	105.5
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
1	345 kg	450 kg	15 m	DG-200 15m	106.9	105.4
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m	102.7	102.7
1	342 kg	472 kg	15 m	LS 4	105.3	102.1
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	341 kg	341 kg	15 m	LS-1d	100.1	100.1
1	342 kg	391 kg	15 m	LS-1f	101.0	100.1
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	312 kg	312 kg	15 m	LS-1c	99.1	99.1
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	370 kg	450 kg	15 m	Astir cs G-102	99.4	97.8
1	327 kg	390 kg	15 m	Std. Cirrus	99.1	97.8
2	585 kg	600 kg	18 m	G-103 Twin III	97.4	97.4
1	347 kg	408 kg	15 m	ASW-15B	96.5	96.5
2	580 kg	580 kg	17,5 m	G-103 Twin II	95.9	95.9
1	318 kg	318 kg	15 m	ASW-15	95.5	95.5
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m	78.6	78.6
2	472 kg	500 kg	16,2 m	L-13 Blanik	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik	76.0	76.0

jednosedadlovky, azeno podle: index s p í t ž í

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t ž e
1	690 kg	850 kg	26,58 m	Noname	127.6	125.0
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	455 kg	565 kg	18 m	Ventus 2cxt 18m	119.6	116.7
1	380 kg	600 kg	18 m	HpH 304s SHARK 18m	119.3	112.8
1	495 kg	565 kg	18 m	Ventus 2cxm 18m	119.3	117.8
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	440 kg	600 kg	18 m	HpH 304M SHARK 18m	119.0	115.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	380 kg	525 kg	18 m	LS 6c 18m +W	117.8	113.7
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	370 kg	575 kg	18 m	LS 8s 18m	116.5	111.5
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	410 kg	575 kg	18 m	LS 8t, LS 8st 18m	116.4	113.3
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	350 kg	525 kg	18 m	LS 8, LS 8b 18m	116.1	110.5
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	405 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.1
1	345 kg	500 kg	15 m	ASW 27B	115.8	112.4
1	420 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.6
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	400 kg	525 kg	15 m	Ventus ct 15m +W	114.0	112.2
1	415 kg	525 kg	15 m	Ventus cm 15m +W	113.7	112.2

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t že
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	360 kg	525 kg	15 m	LS 6c 15m	113.0	110.4
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	388 kg	525 kg	15 m	Ventus bt 15m	112.2	110.7
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	355 kg	525 kg	15 m	LS 8s 15m	111.7	108.7
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
1	360 kg	450 kg	17 m	DG-202 17m	108.8	107.1
1	350 kg	450 kg	17 m	DG-200 17m	108.6	106.7
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	370 kg	370 kg	17 m	LS 3 (3a) 17m	107.6	107.6
1	368 kg	472 kg	15 m	LS 3 (3a) 15m	107.1	105.9
1	350 kg	480 kg	15 m	DG-202 15m	107.0	105.5
1	345 kg	450 kg	15 m	DG-200 15m	106.9	105.4
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	342 kg	472 kg	15 m	LS 4	105.3	102.1
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	342 kg	391 kg	15 m	LS-1f	101.0	100.1
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	341 kg	341 kg	15 m	LS-1d	100.1	100.1
1	370 kg	450 kg	15 m	Astir cs G-102	99.4	97.8
1	312 kg	312 kg	15 m	LS-1c	99.1	99.1
1	327 kg	390 kg	15 m	Std. Cirrus	99.1	97.8
1	347 kg	408 kg	15 m	ASW-15B	96.5	96.5
1	318 kg	318 kg	15 m	ASW-15	95.5	95.5
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1

dvousedadlovky, azeno podle: index bez p í t ž e

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t ž e
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	121.4	121.2
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m	102.7	102.7
2	585 kg	600 kg	18 m	G-103 Twin III	97.4	97.4
2	580 kg	580 kg	17,5 m	G-103 Twin II	95.9	95.9
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m	78.6	78.6
2	472 kg	500 kg	16,2 m	L-13 Blanik	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik	76.0	76.0

rozpětí do 15m v etn , azeno podle: index s p ít ží

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	345 kg	500 kg	15 m	ASW 27B	115.8	112.4
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	400 kg	525 kg	15 m	Ventus ct 15m +W	114.0	112.2
1	415 kg	525 kg	15 m	Ventus cm 15m +W	113.7	112.2
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	360 kg	525 kg	15 m	LS 6c 15m	113.0	110.4
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	388 kg	525 kg	15 m	Ventus bt 15m	112.2	110.7
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	355 kg	525 kg	15 m	LS 8s 15m	111.7	108.7
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	368 kg	472 kg	15 m	LS 3 (3a) 15m	107.1	105.9
1	350 kg	480 kg	15 m	DG-202 15m	107.0	105.5
1	345 kg	450 kg	15 m	DG-200 15m	106.9	105.4
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	342 kg	472 kg	15 m	LS 4	105.3	102.1
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	342 kg	391 kg	15 m	LS-1f	101.0	100.1
1	341 kg	341 kg	15 m	LS-1d	100.1	100.1
1	370 kg	450 kg	15 m	Astir cs G-102	99.4	97.8
1	312 kg	312 kg	15 m	LS-1c	99.1	99.1

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	327 kg	390 kg	15 m	Std. Cirrus	99.1	97.8
1	347 kg	408 kg	15 m	ASW-15B	96.5	96.5
1	318 kg	318 kg	15 m	ASW-15	95.5	95.5
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1

rozpětí od 15m do 18m v etn , azeno podle: index s pít ží

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez pít že
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	455 kg	565 kg	18 m	Ventus 2cxt 18m	119.6	116.7
1	380 kg	600 kg	18 m	HpH 304s SHARK 18m	119.3	112.8
1	495 kg	565 kg	18 m	Ventus 2cxm 18m	119.3	117.8
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	440 kg	600 kg	18 m	HpH 304M SHARK 18m	119.0	115.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	380 kg	525 kg	18 m	LS 6c 18m +W	117.8	113.7
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	370 kg	575 kg	18 m	LS 8s 18m	116.5	111.5
1	410 kg	575 kg	18 m	LS 8t, LS 8st 18m	116.4	113.3
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	350 kg	525 kg	18 m	LS 8, LS 8b 18m	116.1	110.5
1	405 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.1
1	420 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.6
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	360 kg	450 kg	17 m	DG-202 17m	108.8	107.1
1	350 kg	450 kg	17 m	DG-200 17m	108.6	106.7
1	370 kg	370 kg	17 m	LS 3 (3a) 17m	107.6	107.6
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m	102.7	102.7
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
2	585 kg	600 kg	18 m	G-103 Twin III	97.4	97.4
2	580 kg	580 kg	17,5 m	G-103 Twin II	95.9	95.9
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m	78.6	78.6
2	472 kg	500 kg	16,2 m	L-13 Blanik	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik	76.0	76.0

rozpětí více než 18m, azeno podle: index s pít ží

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozpětí	Typ kluzáku	CZ	CZ bez pít ží
1	690 kg	850 kg	26,58 m	Noname	127.6	125.0
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	121.4	121.2
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8

všechny kluzáky, azeno podle: index s p í t ž í

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ
1	690 kg	850 kg	26,58 m	Noname	127.6
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	121.4
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2
1	455 kg	565 kg	18 m	Ventus 2cxt 18m	119.6
1	380 kg	600 kg	18 m	HpH 304s SHARK 18m	119.3
1	495 kg	565 kg	18 m	Ventus 2cxm 18m	119.3
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1
1	440 kg	600 kg	18 m	HpH 304M SHARK 18m	119.0
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0
1	380 kg	525 kg	18 m	LS 6c 18m +W	117.8
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1
1	370 kg	575 kg	18 m	LS 8s 18m	116.5
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5
1	410 kg	575 kg	18 m	LS 8t, LS 8st 18m	116.4
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2
1	350 kg	500 kg	18 m	KKB 18	116.1
1	350 kg	525 kg	18 m	LS 8, LS 8b 18m	116.1
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9
1	405 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9
1	345 kg	500 kg	15 m	ASW 27B	115.8
1	420 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1
1	400 kg	525 kg	15 m	Ventus ct 15m +W	114.0

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ
1	415 kg	525 kg	15 m	Ventus cm 15m +W	113.7
1	332 kg	525 kg	15 m	Ventus a 15m	113.6
1	360 kg	525 kg	15 m	LS 6c 15m	113.0
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6
2	600 kg	750 kg	20 m	Duo Discus XL	112.5
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4
1	337 kg	525 kg	15 m	Ventus b 15m	112.4
1	388 kg	525 kg	15 m	Ventus bt 15m	112.2
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8
1	355 kg	525 kg	15 m	LS 8s 15m	111.7
1	340 kg	500 kg	15 m	KKB 15	111.2
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8
1	350 kg	525 kg	15 m	Discus a	109.4
1	355 kg	525 kg	15 m	Discus b +W	109.2
1	360 kg	450 kg	17 m	DG-202 17m	108.8
1	350 kg	450 kg	17 m	DG-200 17m	108.6
1	355 kg	525 kg	15 m	Discus b	108.0
1	370 kg	370 kg	17 m	LS 3 (3a) 17m	107.6
1	368 kg	472 kg	15 m	LS 3 (3a) 15m	107.1
1	350 kg	480 kg	15 m	DG-202 15m	107.0
1	345 kg	450 kg	15 m	DG-200 15m	106.9
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3
1	342 kg	472 kg	15 m	LS 4	105.3
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m	102.7
1	359 kg	454 kg	15 m	ASW-19 B	101.8
1	342 kg	439 kg	15 m	LS-1f (45)	101.6
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5
1	342 kg	391 kg	15 m	LS-1f	101.0
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8
1	341 kg	341 kg	15 m	LS-1d	100.1
1	370 kg	450 kg	15 m	Astir cs G-102	99.4
1	312 kg	312 kg	15 m	LS-1c	99.1
1	327 kg	390 kg	15 m	Std. Cirrus	99.1
2	585 kg	600 kg	18 m	G-103 Twin III	97.4
1	347 kg	408 kg	15 m	ASW-15B	96.5
2	580 kg	580 kg	17,5 m	G-103 Twin II	95.9
1	318 kg	318 kg	15 m	ASW-15	95.5
1	350 kg	380 kg	15 m	VSO-10	95.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m	78.6
2	472 kg	500 kg	16,2 m	L-13 Blanik	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik	76.0