

všechny kluzáky, azeno podle: abeceda

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	122.5	122.2
2	545 kg	600 kg	17 m	ASK-21 dvojí	88.6	88.6
1	455 kg	600 kg	17 m	ASK-21 sólo	87.1	87.1
1	318 kg	318 kg	15 m	ASW-15	96.9	96.9
1	347 kg	408 kg	15 m	ASW-15B	99.2	97.9
1	359 kg	408 kg	15 m	ASW-19	101.2	100.2
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	350 kg	408 kg	15 m	ASW-19 club	98.6	98.6
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m	109.3	107.1
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m +W	110.3	108.1
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m	111.4	110.0
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m+W	112.4	111.0
1	369 kg	430 kg	16,59 m	ASW-20 BL 16,59m	111.6	109.6
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m	111.1	110.0
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m+W	112.1	111.0
1	369 kg	380 kg	16,59 m	ASW-20 CL 16,59m	110.3	109.6
1	361 kg	380 kg	16,6 m	ASW-20 L+FL 16,6m	106.7	106.7
1	710 kg	850 kg	26,58 m	ASW-22BLE 26,58m+W	126.0	123.8
1	330 kg	500 kg	15 m	ASW-24	108.0	105.0
1	330 kg	500 kg	15 m	ASW-24B +W	109.0	105.6
1	375 kg	500 kg	15 m	ASW-24E +W	108.7	106.8
1	345 kg	500 kg	15 m	ASW 27B (bez W)	115.5	112.4
1	345 kg	500 kg	15 m	ASW 27B+W vysoké	116.3	112.9
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	338 kg	418 kg	15 m	DG-100	101.1	99.1
2	590 kg	750 kg	20 m	DG-1001 20m	109.4	106.8
1	338 kg	418 kg	15 m	DG-101 G	101.1	99.1
1	335 kg	450 kg	15 m	DG-200 15m	107.4	105.4
1	338 kg	450 kg	17 m	DG-200 17m	109.4	106.8
1	338 kg	480 kg	15 m	DG-202 15m	107.5	105.5
1	341 kg	450 kg	17 m	DG-202 17m	109.4	106.9
1	406 kg	480 kg	15 m	DG-400 15m	107.0	106.4
1	410 kg	460 kg	17 m	DG-400 17m	109.5	108.7
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
1	370 kg	450 kg	15 m	G-102 Astir cs	96.2	95.3
1	360 kg	450 kg	15 m	G-102 Astir cs 77	96.8	95.5
1	360 kg	380 kg	15 m	G-102 Astir Jeans	94.2	94.2
1	370 kg	450 kg	15 m	G-102 Astir Std II	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std III	96.2	95.3
2	600 kg	650 kg	17,5 m	G-103 Twin Astir dvojí	92.6	92.3
1	510 kg	650 kg	17,5 m	G-103 Twin Astir sólo	93.1	91.9
2	600 kg	650 kg	17,5 m	G-103 Twin Basic dvojí	92.3	92.3
1	510 kg	650 kg	17,5 m	G-103 Twin Basic sólo	91.7	91.7
2	600 kg	600 kg	18 m	G-103 Twin III dvojí	95.4	95.4
2	670 kg	710 kg	18 m	G-103 Twin III SL dvojí	94.9	94.9
1	580 kg	710 kg	18 m	G-103 Twin III SL sólo	94.5	94.5
1	510 kg	600 kg	18 m	G-103 Twin III sólo	94.2	94.2
2	600 kg	600 kg	20 m	G-103 Twin III W dvojí	96.5	96.5
1	510 kg	600 kg	20 m	G-103 Twin III W sólo	94.3	94.3
2	600 kg	650 kg	17,5 m	G-103 Twin Trainer dvojí	91.4	91.4
1	510 kg	650 kg	17,5 m	G-103 Twin Trainer sólo	90.9	90.9
1	380 kg	515 kg	15 m	G-104 Speed Astir IIb	105.7	103.7
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	465 kg	560 kg	18 m	HpH 304M SHARK 18m (560 kg max)	118.3	115.2
1	465 kg	600 kg	18 m	HpH 304M SHARK 18m (600 kg max)	119.2	115.2
1	455 kg	573 kg	18 m	HpH 304SJ SHARK 18m (573 kg max)	118.6	114.9
1	455 kg	600 kg	18 m	HpH 304SJ SHARK 18m (600 kg max)	119.2	114.9
1	400 kg	600 kg	18 m	HpH 304S SHARK 18m	119.3	112.1
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m dvojí	102.7	102.7
1	485 kg	620 kg	18,2 m	Janus (b) 18,2m sólo	101.5	101.5
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
2	472 kg	500 kg	16,2 m	L-13 Blanik -dvojí	76.0	76.0
1	382 kg	500 kg	16,2 m	L-13 Blanik -sólo	75.0	75.0
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m dvojí	78.6	78.6
1	405 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m sólo	77.1	77.1
2	490 kg	530 kg	16,2 m	L-23 Super Blanik dvojí	76.0	76.0
1	400 kg	530 kg	16,2 m	L-23 Super Blanik sólo	75.0	75.0
1	305 kg	340 kg	14,12 m	L-33 Sólo	85.9	85.9
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	350 kg	525 kg	15 m	LAK 17B 15m -525kg	116.6	113.5
1	350 kg	550 kg	15 m	LAK 17B 15m -550kg	116.7	113.5
1	360 kg	600 kg	18 m	LAK 17B 18m	120.4	114.7
1	404 kg	525 kg	15 m	LAK 17B FES 15m -525kg	115.0	113.5
1	404 kg	550 kg	15 m	LAK 17B FES 15m -550kg	115.1	113.5
1	414 kg	600 kg	18 m	LAK 17B FES 18m	119.8	116.7
1	402 kg	525 kg	15 m	LAK 17BT 15m -525kg	115.3	113.9
1	402 kg	550 kg	15 m	LAK 17BT 15m -550kg	115.4	113.9
1	412 kg	600 kg	18 m	LAK 17BT 18m	120.1	116.8
2	433 kg	433 kg	13,42 m	LF(LG)-109 Pionýr dvojí	53.7	53.7
1	343 kg	433 kg	13,42 m	LF(LG)-109 Pionýr sólo	53.1	53.1
1	293 kg	300 kg	15 m	LG-125 Šohaj 2	74.8	74.8
2	445 kg	445 kg	16 m	LG-130 Kmotr dvojí	65.4	65.4
1	355 kg	445 kg	16 m	LG-130 Kmotr sólo	64.6	64.6
1	332 kg	335 kg	15 m	LK-425 Šohaj 3	74.0	74.0
1	312 kg	312 kg	15 m	LS-1c	97.9	97.9
1	341 kg	341 kg	15 m	LS-1d	98.3	98.3
1	342 kg	390 kg	15 m	LS-1f	101.0	100.1
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	360 kg	472 kg	15 m	LS-3 15m	106.2	104.4
1	365 kg	370 kg	17 m	LS-3 17m	106.6	106.6
1	345 kg	472 kg	15 m	LS-3a 15m	106.0	104.1
1	350 kg	370 kg	17 m	LS-3a 17m	106.2	106.2
1	342 kg	472 kg	15 m	LS-4	105.3	102.1
1	360 kg	525 kg	15 m	LS-6c 15m	113.0	110.4
1	380 kg	525 kg	18 m	LS-6c 18m +W	117.8	113.7
1	350 kg	525 kg	18 m	LS-8, LS-8b 18m	116.1	110.5
1	355 kg	525 kg	15 m	LS-8s 15m	111.7	108.7
1	370 kg	575 kg	18 m	LS-8s 18m	116.5	111.5
1	410 kg	575 kg	18 m	LS-8t, LS-8st 18m	116.4	113.3
1	333 kg	345 kg	15 m	M-25	80.2	80.2
1	340 kg	345 kg	18 m	M-28	80.4	80.4
1	345 kg	345 kg	15 m	M-35	88.8	88.8
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	508 kg	700 kg	24,5 m	Nimbus 3 24,5m -700 kg	121.6	117.8
1	508 kg	750 kg	24,5 m	Nimbus 3 24,5m -750 kg	121.9	117.8
1	510 kg	700 kg	25,5 m	Nimbus 3 25,5m -700 kg	122.6	118.4
1	510 kg	750 kg	25,5 m	Nimbus 3 25,5m -750 kg	123.0	118.4
1	330 kg	350 kg	15 m	Phoebus A1	94.0	94.0
1	337 kg	350 kg	15 m	Phoebus B1	95.2	95.2
1	365 kg	375 kg	15 m	Phoebus B3	98.8	98.8
1	355 kg	375 kg	17 m	Phoebus C	97.1	97.1
1	352 kg	450 kg	15 m	Pik-20B	102.7	101.2
1	330 kg	450 kg	15 m	Pik-20D	103.3	101.5
2	535 kg	546 kg	16 m	PW-6U dvojí	82.0	82.0

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	455 kg	546 kg	16 m	PW-6U sólo	81.4	81.4
2	510 kg	540 kg	15,8 m	SF-34 Delphin dvojí	85.2	85.2
1	420 kg	540 kg	15,8 m	SF-34 Delphin sólo	84.6	84.6
1	327 kg	390 kg	15 m	Std. Cirrus	100.2	98.6
1	340 kg	385 kg	15 m	SZD-23 Foka 4A	89.1	89.1
1	351 kg	385 kg	15 m	SZD-32 Foka 5	90.2	90.2
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	312 kg	500 kg	15 m	SZD-55 Promyk	107.9	103.4
1	426 kg	472 kg	19 m	T-59D Kestrel 19m	112.3	110.9
2	472,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 dvojí	98.9	98.9
1	382,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 sólo	98.3	98.3
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	495 kg	565 kg	18 m	Ventus 2cxm 18m-565kg	119.3	117.8
1	495 kg	600 kg	18 m	Ventus 2cxm 18m-600kg	119.9	117.8
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	455 kg	565 kg	18 m	Ventus 2cxt 18m-565kg	119.6	116.7
1	455 kg	600 kg	18 m	Ventus 2cxt 18m-600kg	120.2	116.7
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	388 kg	430 kg	15 m	Ventus bt 15m	111.5	110.7
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	415 kg	430 kg	15 m	Ventus cm 15m +W	112.6	112.2
1	418 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.4
1	400 kg	430 kg	15 m	Ventus ct 15m +W	112.8	112.2
1	408 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.2
1	486 kg	500 kg	18,5 m	VSB-62 Vega	87.5	87.5
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	350 kg	380 kg	15 m	VSO-10 C	94.0	94.0
1	335 kg	345 kg	16 m	VT-116 Orlík II	81.2	81.2
1	335 kg	345 kg	16 m	VT-16 Orlík	80.4	80.4
1	285 kg	290 kg	15 m	Z-25 Šohaj	75.3	75.3

všechny kluzáky, azeno podle: index s p í t ž í

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t ž e
1	710 kg	850 kg	26,58 m	ASW-22BLE 26,58m+W	126.0	123.8
1	510 kg	750 kg	25,5 m	Nimbus 3 25,5m -750 kg	123.0	118.4
1	510 kg	700 kg	25,5 m	Nimbus 3 25,5m -700 kg	122.6	118.4
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	122.5	122.2
1	508 kg	750 kg	24,5 m	Nimbus 3 24,5m -750 kg	121.9	117.8
1	508 kg	700 kg	24,5 m	Nimbus 3 24,5m -700 kg	121.6	117.8
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	360 kg	600 kg	18 m	LAK 17B 18m	120.4	114.7
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	455 kg	600 kg	18 m	Ventus 2cxt 18m-600kg	120.2	116.7
1	412 kg	600 kg	18 m	LAK 17BT 18m	120.1	116.8
1	495 kg	600 kg	18 m	Ventus 2cxm 18m-600kg	119.9	117.8
1	414 kg	600 kg	18 m	LAK 17B FES 18m	119.8	116.7
1	455 kg	565 kg	18 m	Ventus 2cxt 18m-565kg	119.6	116.7
1	400 kg	600 kg	18 m	HpH 304S SHARK 18m	119.3	112.1
1	495 kg	565 kg	18 m	Ventus 2cxm 18m-565kg	119.3	117.8
1	465 kg	600 kg	18 m	HpH 304M SHARK 18m (600 kg max)	119.2	115.2
1	455 kg	600 kg	18 m	HpH 304SJ SHARK 18m (600 kg max)	119.2	114.9
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	455 kg	573 kg	18 m	HpH 304SJ SHARK 18m (573 kg max)	118.6	114.9
1	465 kg	560 kg	18 m	HpH 304M SHARK 18m (560 kg max)	118.3	115.2
1	380 kg	525 kg	18 m	LS-6c 18m +W	117.8	113.7
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	350 kg	550 kg	15 m	LAK 17B 15m -550kg	116.7	113.5
1	350 kg	525 kg	15 m	LAK 17B 15m -525kg	116.6	113.5
1	370 kg	575 kg	18 m	LS-8s 18m	116.5	111.5
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	410 kg	575 kg	18 m	LS-8t, LS-8st 18m	116.4	113.3
1	345 kg	500 kg	15 m	ASW 27B+W vysoké	116.3	112.9
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	350 kg	525 kg	18 m	LS-8, LS-8b 18m	116.1	110.5
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	408 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.2
1	418 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.4
1	345 kg	500 kg	15 m	ASW 27B (bez W)	115.5	112.4
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	402 kg	550 kg	15 m	LAK 17BT 15m -550kg	115.4	113.9
1	402 kg	525 kg	15 m	LAK 17BT 15m -525kg	115.3	113.9
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	404 kg	550 kg	15 m	LAK 17B FES 15m -550kg	115.1	113.5
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	404 kg	525 kg	15 m	LAK 17B FES 15m -525kg	115.0	113.5
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	360 kg	525 kg	15 m	LS-6c 15m	113.0	110.4
1	400 kg	430 kg	15 m	Ventus ct 15m +W	112.8	112.2
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	415 kg	430 kg	15 m	Ventus cm 15m +W	112.6	112.2
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m+W	112.4	111.0
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	426 kg	472 kg	19 m	T-59D Kestrel 19m	112.3	110.9
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m+W	112.1	111.0
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
1	355 kg	525 kg	15 m	LS-8s 15m	111.7	108.7
1	369 kg	430 kg	16,59 m	ASW-20 BL 16,59m	111.6	109.6
1	388 kg	430 kg	15 m	Ventus bt 15m	111.5	110.7
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m	111.4	110.0
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m	111.1	110.0
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m +W	110.3	108.1
1	369 kg	380 kg	16,59 m	ASW-20 CL 16,59m	110.3	109.6
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	410 kg	460 kg	17 m	DG-400 17m	109.5	108.7
2	590 kg	750 kg	20 m	DG-1001 20m	109.4	106.8
1	338 kg	450 kg	17 m	DG-200 17m	109.4	106.8

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	341 kg	450 kg	17 m	DG-202 17m	109.4	106.9
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m	109.3	107.1
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
1	330 kg	500 kg	15 m	ASW-24B +W	109.0	105.6
1	375 kg	500 kg	15 m	ASW-24E +W	108.7	106.8
1	330 kg	500 kg	15 m	ASW-24	108.0	105.0
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	312 kg	500 kg	15 m	SZD-55 Promyk	107.9	103.4
1	338 kg	480 kg	15 m	DG-202 15m	107.5	105.5
1	335 kg	450 kg	15 m	DG-200 15m	107.4	105.4
1	406 kg	480 kg	15 m	DG-400 15m	107.0	106.4
1	361 kg	380 kg	16,6 m	ASW-20 L+FL 16,6m	106.7	106.7
1	365 kg	370 kg	17 m	LS-3 17m	106.6	106.6
1	360 kg	472 kg	15 m	LS-3 15m	106.2	104.4
1	350 kg	370 kg	17 m	LS-3a 17m	106.2	106.2
1	345 kg	472 kg	15 m	LS-3a 15m	106.0	104.1
1	380 kg	515 kg	15 m	G-104 Speed Astir IIb	105.7	103.7
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	342 kg	472 kg	15 m	LS-4	105.3	102.1
1	330 kg	450 kg	15 m	Pik-20D	103.3	101.5
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m dvojí	102.7	102.7
1	352 kg	450 kg	15 m	Pik-20B	102.7	101.2
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	485 kg	620 kg	18,2 m	Janus (b) 18,2m sólo	101.5	101.5
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	359 kg	408 kg	15 m	ASW-19	101.2	100.2
1	338 kg	418 kg	15 m	DG-100	101.1	99.1
1	338 kg	418 kg	15 m	DG-101 G	101.1	99.1
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	342 kg	390 kg	15 m	LS-1f	101.0	100.1
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	327 kg	390 kg	15 m	Std. Cirrus	100.2	98.6
1	347 kg	408 kg	15 m	ASW-15B	99.2	97.9
2	472,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 dvojí	98.9	98.9
1	365 kg	375 kg	15 m	Phoebus B3	98.8	98.8
1	350 kg	408 kg	15 m	ASW-19 club	98.6	98.6
1	341 kg	341 kg	15 m	LS-1d	98.3	98.3
1	382,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 sólo	98.3	98.3
1	312 kg	312 kg	15 m	LS-1c	97.9	97.9
1	355 kg	375 kg	17 m	Phoebus C	97.1	97.1
1	318 kg	318 kg	15 m	ASW-15	96.9	96.9
1	360 kg	450 kg	15 m	G-102 Astir cs 77	96.8	95.5
2	600 kg	600 kg	20 m	G-103 Twin III W dvojí	96.5	96.5
1	370 kg	450 kg	15 m	G-102 Astir cs	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std II	96.2	95.3

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	370 kg	450 kg	15 m	G-102 Astir Std III	96.2	95.3
2	600 kg	600 kg	18 m	G-103 Twin III dvojí	95.4	95.4
1	337 kg	350 kg	15 m	Phoebus B1	95.2	95.2
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
2	670 kg	710 kg	18 m	G-103 Twin III SL dvojí	94.9	94.9
1	580 kg	710 kg	18 m	G-103 Twin III SL sólo	94.5	94.5
1	510 kg	600 kg	20 m	G-103 Twin III W sólo	94.3	94.3
1	360 kg	380 kg	15 m	G-102 Astir Jeans	94.2	94.2
1	510 kg	600 kg	18 m	G-103 Twin III sólo	94.2	94.2
1	330 kg	350 kg	15 m	Phoebus A1	94.0	94.0
1	350 kg	380 kg	15 m	VSO-10 C	94.0	94.0
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	510 kg	650 kg	17,5 m	G-103 Twin Astir sólo	93.1	91.9
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
2	600 kg	650 kg	17,5 m	G-103 Twin Astir dvojí	92.6	92.3
2	600 kg	650 kg	17,5 m	G-103 Twin Basic dvojí	92.3	92.3
1	510 kg	650 kg	17,5 m	G-103 Twin Basic sólo	91.7	91.7
2	600 kg	650 kg	17,5 m	G-103 Twin Trainer dvojí	91.4	91.4
1	510 kg	650 kg	17,5 m	G-103 Twin Trainer sólo	90.9	90.9
1	351 kg	385 kg	15 m	SZD-32 Foka 5	90.2	90.2
1	340 kg	385 kg	15 m	SZD-23 Foka 4A	89.1	89.1
1	345 kg	345 kg	15 m	M-35	88.8	88.8
2	545 kg	600 kg	17 m	ASK-21 dvojí	88.6	88.6
1	486 kg	500 kg	18,5 m	VSB-62 Vega	87.5	87.5
1	455 kg	600 kg	17 m	ASK-21 sólo	87.1	87.1
1	305 kg	340 kg	14,12 m	L-33 Sólo	85.9	85.9
2	510 kg	540 kg	15,8 m	SF-34 Delphin dvojí	85.2	85.2
1	420 kg	540 kg	15,8 m	SF-34 Delphin sólo	84.6	84.6
2	535 kg	546 kg	16 m	PW-6U dvojí	82.0	82.0
1	455 kg	546 kg	16 m	PW-6U sólo	81.4	81.4
1	335 kg	345 kg	16 m	VT-116 Orlík II	81.2	81.2
1	340 kg	345 kg	18 m	M-28	80.4	80.4
1	335 kg	345 kg	16 m	VT-16 Orlík	80.4	80.4
1	333 kg	345 kg	15 m	M-25	80.2	80.2
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m dvojí	78.6	78.6
1	405 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m sólo	77.1	77.1
2	472 kg	500 kg	16,2 m	L-13 Blanik -dvojí	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik dvojí	76.0	76.0
1	285 kg	290 kg	15 m	Z-25 Šohaj	75.3	75.3
1	382 kg	500 kg	16,2 m	L-13 Blanik -sólo	75.0	75.0
1	400 kg	530 kg	16,2 m	L-23 Super Blanik sólo	75.0	75.0
1	293 kg	300 kg	15 m	LG-125 Šohaj 2	74.8	74.8
1	332 kg	335 kg	15 m	LK-425 Šohaj 3	74.0	74.0
2	445 kg	445 kg	16 m	LG-130 Kmotr dvojí	65.4	65.4
1	355 kg	445 kg	16 m	LG-130 Kmotr sólo	64.6	64.6
2	433 kg	433 kg	13,42 m	LF(LG)-109 Pionýr dvojí	53.7	53.7
1	343 kg	433 kg	13,42 m	LF(LG)-109 Pionýr sólo	53.1	53.1

všechny kluzáky, azeno podle: index bez p í t že

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t že
1	710 kg	850 kg	26,58 m	ASW-22BLE 26,58m+W	126.0	123.8
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	122.5	122.2
1	510 kg	700 kg	25,5 m	Nimbus 3 25,5m -700 kg	122.6	118.4
1	510 kg	750 kg	25,5 m	Nimbus 3 25,5m -750 kg	123.0	118.4
1	508 kg	700 kg	24,5 m	Nimbus 3 24,5m -700 kg	121.6	117.8
1	508 kg	750 kg	24,5 m	Nimbus 3 24,5m -750 kg	121.9	117.8
1	495 kg	565 kg	18 m	Ventus 2cxm 18m-565kg	119.3	117.8
1	495 kg	600 kg	18 m	Ventus 2cxm 18m-600kg	119.9	117.8
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	412 kg	600 kg	18 m	LAK 17BT 18m	120.1	116.8
1	414 kg	600 kg	18 m	LAK 17B FES 18m	119.8	116.7
1	455 kg	565 kg	18 m	Ventus 2cxt 18m-565kg	119.6	116.7
1	455 kg	600 kg	18 m	Ventus 2cxt 18m-600kg	120.2	116.7
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	418 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.4
1	465 kg	560 kg	18 m	HpH 304M SHARK 18m (560 kg max)	118.3	115.2
1	465 kg	600 kg	18 m	HpH 304M SHARK 18m (600 kg max)	119.2	115.2
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	408 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.2
1	455 kg	573 kg	18 m	HpH 304SJ SHARK 18m (573 kg max)	118.6	114.9
1	455 kg	600 kg	18 m	HpH 304SJ SHARK 18m (600 kg max)	119.2	114.9
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	360 kg	600 kg	18 m	LAK 17B 18m	120.4	114.7
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	402 kg	525 kg	15 m	LAK 17BT 15m -525kg	115.3	113.9
1	402 kg	550 kg	15 m	LAK 17BT 15m -550kg	115.4	113.9
1	380 kg	525 kg	18 m	LS-6c 18m +W	117.8	113.7
1	350 kg	525 kg	15 m	LAK 17B 15m -525kg	116.6	113.5
1	350 kg	550 kg	15 m	LAK 17B 15m -550kg	116.7	113.5
1	404 kg	525 kg	15 m	LAK 17B FES 15m -525kg	115.0	113.5
1	404 kg	550 kg	15 m	LAK 17B FES 15m -550kg	115.1	113.5
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	410 kg	575 kg	18 m	LS-8t, LS-8st 18m	116.4	113.3
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	345 kg	500 kg	15 m	ASW 27B+W vysoké	116.3	112.9
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	345 kg	500 kg	15 m	ASW 27B (bez W)	115.5	112.4
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	415 kg	430 kg	15 m	Ventus cm 15m +W	112.6	112.2
1	400 kg	430 kg	15 m	Ventus ct 15m +W	112.8	112.2
1	400 kg	600 kg	18 m	HpH 304S SHARK 18m	119.3	112.1
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	370 kg	575 kg	18 m	LS-8s 18m	116.5	111.5
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m+W	112.4	111.0
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m+W	112.1	111.0
1	426 kg	472 kg	19 m	T-59D Kestrel 19m	112.3	110.9
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	388 kg	430 kg	15 m	Ventus bt 15m	111.5	110.7
1	350 kg	525 kg	18 m	LS-8, LS-8b 18m	116.1	110.5
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	360 kg	525 kg	15 m	LS-6c 15m	113.0	110.4
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m	111.4	110.0
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m	111.1	110.0
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	369 kg	430 kg	16,59 m	ASW-20 BL 16,59m	111.6	109.6
1	369 kg	380 kg	16,59 m	ASW-20 CL 16,59m	110.3	109.6
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	410 kg	460 kg	17 m	DG-400 17m	109.5	108.7
1	355 kg	525 kg	15 m	LS-8s 15m	111.7	108.7
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m +W	110.3	108.1
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m	109.3	107.1
1	341 kg	450 kg	17 m	DG-202 17m	109.4	106.9

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	375 kg	500 kg	15 m	ASW-24E +W	108.7	106.8
2	590 kg	750 kg	20 m	DG-1001 20m	109.4	106.8
1	338 kg	450 kg	17 m	DG-200 17m	109.4	106.8
1	361 kg	380 kg	16,6 m	ASW-20 L+FL 16,6m	106.7	106.7
1	365 kg	370 kg	17 m	LS-3 17m	106.6	106.6
1	406 kg	480 kg	15 m	DG-400 15m	107.0	106.4
1	350 kg	370 kg	17 m	LS-3a 17m	106.2	106.2
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	330 kg	500 kg	15 m	ASW-24B +W	109.0	105.6
1	338 kg	480 kg	15 m	DG-202 15m	107.5	105.5
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5
1	335 kg	450 kg	15 m	DG-200 15m	107.4	105.4
1	330 kg	500 kg	15 m	ASW-24	108.0	105.0
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	360 kg	472 kg	15 m	LS-3 15m	106.2	104.4
1	345 kg	472 kg	15 m	LS-3a 15m	106.0	104.1
1	380 kg	515 kg	15 m	G-104 Speed Astir IIb	105.7	103.7
1	312 kg	500 kg	15 m	SZD-55 Promyk	107.9	103.4
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m dvojí	102.7	102.7
1	342 kg	472 kg	15 m	LS-4	105.3	102.1
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	485 kg	620 kg	18,2 m	Janus (b) 18,2m sólo	101.5	101.5
1	330 kg	450 kg	15 m	Pik-20D	103.3	101.5
1	352 kg	450 kg	15 m	Pik-20B	102.7	101.2
1	359 kg	408 kg	15 m	ASW-19	101.2	100.2
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	390 kg	15 m	LS-1f	101.0	100.1
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	338 kg	418 kg	15 m	DG-100	101.1	99.1
1	338 kg	418 kg	15 m	DG-101 G	101.1	99.1
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
2	472,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 dvojí	98.9	98.9
1	365 kg	375 kg	15 m	Phoebus B3	98.8	98.8
1	350 kg	408 kg	15 m	ASW-19 club	98.6	98.6
1	327 kg	390 kg	15 m	Std. Cirrus	100.2	98.6
1	341 kg	341 kg	15 m	LS-1d	98.3	98.3
1	382,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 sólo	98.3	98.3
1	347 kg	408 kg	15 m	ASW-15B	99.2	97.9
1	312 kg	312 kg	15 m	LS-1c	97.9	97.9
1	355 kg	375 kg	17 m	Phoebus C	97.1	97.1
1	318 kg	318 kg	15 m	ASW-15	96.9	96.9
2	600 kg	600 kg	20 m	G-103 Twin III W dvojí	96.5	96.5
1	360 kg	450 kg	15 m	G-102 Astir cs 77	96.8	95.5
2	600 kg	600 kg	18 m	G-103 Twin III dvojí	95.4	95.4
1	370 kg	450 kg	15 m	G-102 Astir cs	96.2	95.3

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	370 kg	450 kg	15 m	G-102 Astir Std II	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std III	96.2	95.3
1	337 kg	350 kg	15 m	Phoebus B1	95.2	95.2
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
2	670 kg	710 kg	18 m	G-103 Twin III SL dvojí	94.9	94.9
1	580 kg	710 kg	18 m	G-103 Twin III SL sólo	94.5	94.5
1	510 kg	600 kg	20 m	G-103 Twin III W sólo	94.3	94.3
1	360 kg	380 kg	15 m	G-102 Astir Jeans	94.2	94.2
1	510 kg	600 kg	18 m	G-103 Twin III sólo	94.2	94.2
1	330 kg	350 kg	15 m	Phoebus A1	94.0	94.0
1	350 kg	380 kg	15 m	VSO-10 C	94.0	94.0
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
2	600 kg	650 kg	17,5 m	G-103 Twin Astir dvojí	92.6	92.3
2	600 kg	650 kg	17,5 m	G-103 Twin Basic dvojí	92.3	92.3
1	510 kg	650 kg	17,5 m	G-103 Twin Astir sólo	93.1	91.9
1	510 kg	650 kg	17,5 m	G-103 Twin Basic sólo	91.7	91.7
2	600 kg	650 kg	17,5 m	G-103 Twin Trainer dvojí	91.4	91.4
1	510 kg	650 kg	17,5 m	G-103 Twin Trainer sólo	90.9	90.9
1	351 kg	385 kg	15 m	SZD-32 Foka 5	90.2	90.2
1	340 kg	385 kg	15 m	SZD-23 Foka 4A	89.1	89.1
1	345 kg	345 kg	15 m	M-35	88.8	88.8
2	545 kg	600 kg	17 m	ASK-21 dvojí	88.6	88.6
1	486 kg	500 kg	18,5 m	VSB-62 Vega	87.5	87.5
1	455 kg	600 kg	17 m	ASK-21 sólo	87.1	87.1
1	305 kg	340 kg	14,12 m	L-33 Sólo	85.9	85.9
2	510 kg	540 kg	15,8 m	SF-34 Delphin dvojí	85.2	85.2
1	420 kg	540 kg	15,8 m	SF-34 Delphin sólo	84.6	84.6
2	535 kg	546 kg	16 m	PW-6U dvojí	82.0	82.0
1	455 kg	546 kg	16 m	PW-6U sólo	81.4	81.4
1	335 kg	345 kg	16 m	VT-116 Orlík II	81.2	81.2
1	340 kg	345 kg	18 m	M-28	80.4	80.4
1	335 kg	345 kg	16 m	VT-16 Orlík	80.4	80.4
1	333 kg	345 kg	15 m	M-25	80.2	80.2
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m dvojí	78.6	78.6
1	405 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m sólo	77.1	77.1
2	472 kg	500 kg	16,2 m	L-13 Blanik -dvojí	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik dvojí	76.0	76.0
1	285 kg	290 kg	15 m	Z-25 Šohaj	75.3	75.3
1	382 kg	500 kg	16,2 m	L-13 Blanik -sólo	75.0	75.0
1	400 kg	530 kg	16,2 m	L-23 Super Blanik sólo	75.0	75.0
1	293 kg	300 kg	15 m	LG-125 Šohaj 2	74.8	74.8
1	332 kg	335 kg	15 m	LK-425 Šohaj 3	74.0	74.0
2	445 kg	445 kg	16 m	LG-130 Kmotr dvojí	65.4	65.4
1	355 kg	445 kg	16 m	LG-130 Kmotr sólo	64.6	64.6
2	433 kg	433 kg	13,42 m	LF(LG)-109 Pionýr dvojí	53.7	53.7
1	343 kg	433 kg	13,42 m	LF(LG)-109 Pionýr sólo	53.1	53.1

jednosedadlovky, azeno podle: index s p ít ží

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	710 kg	850 kg	26,58 m	ASW-22BLE 26,58m+W	126.0	123.8
1	510 kg	750 kg	25,5 m	Nimbus 3 25,5m -750 kg	123.0	118.4
1	510 kg	700 kg	25,5 m	Nimbus 3 25,5m -700 kg	122.6	118.4
1	508 kg	750 kg	24,5 m	Nimbus 3 24,5m -750 kg	121.9	117.8
1	508 kg	700 kg	24,5 m	Nimbus 3 24,5m -700 kg	121.6	117.8
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	360 kg	600 kg	18 m	LAK 17B 18m	120.4	114.7
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	455 kg	600 kg	18 m	Ventus 2cxt 18m-600kg	120.2	116.7
1	412 kg	600 kg	18 m	LAK 17BT 18m	120.1	116.8
1	495 kg	600 kg	18 m	Ventus 2cxm 18m-600kg	119.9	117.8
1	414 kg	600 kg	18 m	LAK 17B FES 18m	119.8	116.7
1	455 kg	565 kg	18 m	Ventus 2cxt 18m-565kg	119.6	116.7
1	400 kg	600 kg	18 m	HpH 304S SHARK 18m	119.3	112.1
1	495 kg	565 kg	18 m	Ventus 2cxm 18m-565kg	119.3	117.8
1	465 kg	600 kg	18 m	HpH 304M SHARK 18m (600 kg max)	119.2	115.2
1	455 kg	600 kg	18 m	HpH 304SJ SHARK 18m (600 kg max)	119.2	114.9
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	455 kg	573 kg	18 m	HpH 304SJ SHARK 18m (573 kg max)	118.6	114.9
1	465 kg	560 kg	18 m	HpH 304M SHARK 18m (560 kg max)	118.3	115.2
1	380 kg	525 kg	18 m	LS-6c 18m +W	117.8	113.7
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	350 kg	550 kg	15 m	LAK 17B 15m -550kg	116.7	113.5
1	350 kg	525 kg	15 m	LAK 17B 15m -525kg	116.6	113.5
1	370 kg	575 kg	18 m	LS-8s 18m	116.5	111.5
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
1	410 kg	575 kg	18 m	LS-8t, LS-8st 18m	116.4	113.3
1	345 kg	500 kg	15 m	ASW 27B+W vysoké	116.3	112.9
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	350 kg	525 kg	18 m	LS-8, LS-8b 18m	116.1	110.5
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	408 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.2
1	418 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.4
1	345 kg	500 kg	15 m	ASW 27B (bez W)	115.5	112.4
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	402 kg	550 kg	15 m	LAK 17BT 15m -550kg	115.4	113.9
1	402 kg	525 kg	15 m	LAK 17BT 15m -525kg	115.3	113.9
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	404 kg	550 kg	15 m	LAK 17B FES 15m -550kg	115.1	113.5
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	404 kg	525 kg	15 m	LAK 17B FES 15m -525kg	115.0	113.5
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	360 kg	525 kg	15 m	LS-6c 15m	113.0	110.4
1	400 kg	430 kg	15 m	Ventus ct 15m +W	112.8	112.2
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	415 kg	430 kg	15 m	Ventus cm 15m +W	112.6	112.2
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m+W	112.4	111.0
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	426 kg	472 kg	19 m	T-59D Kestrel 19m	112.3	110.9
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m+W	112.1	111.0
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	355 kg	525 kg	15 m	LS-8s 15m	111.7	108.7
1	369 kg	430 kg	16,59 m	ASW-20 BL 16,59m	111.6	109.6
1	388 kg	430 kg	15 m	Ventus bt 15m	111.5	110.7
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m	111.4	110.0
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m	111.1	110.0
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m +W	110.3	108.1
1	369 kg	380 kg	16,59 m	ASW-20 CL 16,59m	110.3	109.6
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	410 kg	460 kg	17 m	DG-400 17m	109.5	108.7
1	338 kg	450 kg	17 m	DG-200 17m	109.4	106.8
1	341 kg	450 kg	17 m	DG-202 17m	109.4	106.9
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m	109.3	107.1
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	330 kg	500 kg	15 m	ASW-24B +W	109.0	105.6
1	375 kg	500 kg	15 m	ASW-24E +W	108.7	106.8
1	330 kg	500 kg	15 m	ASW-24	108.0	105.0
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	312 kg	500 kg	15 m	SZD-55 Promyk	107.9	103.4
1	338 kg	480 kg	15 m	DG-202 15m	107.5	105.5
1	335 kg	450 kg	15 m	DG-200 15m	107.4	105.4
1	406 kg	480 kg	15 m	DG-400 15m	107.0	106.4
1	361 kg	380 kg	16,6 m	ASW-20 L+FL 16,6m	106.7	106.7
1	365 kg	370 kg	17 m	LS-3 17m	106.6	106.6
1	360 kg	472 kg	15 m	LS-3 15m	106.2	104.4
1	350 kg	370 kg	17 m	LS-3a 17m	106.2	106.2
1	345 kg	472 kg	15 m	LS-3a 15m	106.0	104.1
1	380 kg	515 kg	15 m	G-104 Speed Astir IIb	105.7	103.7
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	342 kg	472 kg	15 m	LS-4	105.3	102.1
1	330 kg	450 kg	15 m	Pik-20D	103.3	101.5
1	352 kg	450 kg	15 m	Pik-20B	102.7	101.2
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	485 kg	620 kg	18,2 m	Janus (b) 18,2m sólo	101.5	101.5
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	359 kg	408 kg	15 m	ASW-19	101.2	100.2
1	338 kg	418 kg	15 m	DG-100	101.1	99.1
1	338 kg	418 kg	15 m	DG-101 G	101.1	99.1
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	342 kg	390 kg	15 m	LS-1f	101.0	100.1
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	327 kg	390 kg	15 m	Std. Cirrus	100.2	98.6
1	347 kg	408 kg	15 m	ASW-15B	99.2	97.9
1	365 kg	375 kg	15 m	Phoebus B3	98.8	98.8
1	350 kg	408 kg	15 m	ASW-19 club	98.6	98.6
1	341 kg	341 kg	15 m	LS-1d	98.3	98.3
1	382,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 sólo	98.3	98.3
1	312 kg	312 kg	15 m	LS-1c	97.9	97.9
1	355 kg	375 kg	17 m	Phoebus C	97.1	97.1
1	318 kg	318 kg	15 m	ASW-15	96.9	96.9
1	360 kg	450 kg	15 m	G-102 Astir cs 77	96.8	95.5
1	370 kg	450 kg	15 m	G-102 Astir cs	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std II	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std III	96.2	95.3
1	337 kg	350 kg	15 m	Phoebus B1	95.2	95.2
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	580 kg	710 kg	18 m	G-103 Twin III SL sólo	94.5	94.5
1	510 kg	600 kg	20 m	G-103 Twin III W sólo	94.3	94.3
1	360 kg	380 kg	15 m	G-102 Astir Jeans	94.2	94.2
1	510 kg	600 kg	18 m	G-103 Twin III sólo	94.2	94.2

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	330 kg	350 kg	15 m	Phoebus A1	94.0	94.0
1	350 kg	380 kg	15 m	VSO-10 C	94.0	94.0
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	510 kg	650 kg	17,5 m	G-103 Twin Astir sólo	93.1	91.9
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
1	510 kg	650 kg	17,5 m	G-103 Twin Basic sólo	91.7	91.7
1	510 kg	650 kg	17,5 m	G-103 Twin Trainer sólo	90.9	90.9
1	351 kg	385 kg	15 m	SZD-32 Foka 5	90.2	90.2
1	340 kg	385 kg	15 m	SZD-23 Foka 4A	89.1	89.1
1	345 kg	345 kg	15 m	M-35	88.8	88.8
1	486 kg	500 kg	18,5 m	VSB-62 Vega	87.5	87.5
1	455 kg	600 kg	17 m	ASK-21 sólo	87.1	87.1
1	305 kg	340 kg	14,12 m	L-33 Sólo	85.9	85.9
1	420 kg	540 kg	15,8 m	SF-34 Delphin sólo	84.6	84.6
1	455 kg	546 kg	16 m	PW-6U sólo	81.4	81.4
1	335 kg	345 kg	16 m	VT-116 Orlík II	81.2	81.2
1	340 kg	345 kg	18 m	M-28	80.4	80.4
1	335 kg	345 kg	16 m	VT-16 Orlík	80.4	80.4
1	333 kg	345 kg	15 m	M-25	80.2	80.2
1	405 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m sólo	77.1	77.1
1	285 kg	290 kg	15 m	Z-25 Šohaj	75.3	75.3
1	382 kg	500 kg	16,2 m	L-13 Blanik -sólo	75.0	75.0
1	400 kg	530 kg	16,2 m	L-23 Super Blanik sólo	75.0	75.0
1	293 kg	300 kg	15 m	LG-125 Šohaj 2	74.8	74.8
1	332 kg	335 kg	15 m	LK-425 Šohaj 3	74.0	74.0
1	355 kg	445 kg	16 m	LG-130 Kmotr sólo	64.6	64.6
1	343 kg	433 kg	13,42 m	LF(LG)-109 Pionýr sólo	53.1	53.1

dvousedadlovky, azeno podle: index bez p í t že

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p í t že
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	122.5	122.2
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
2	590 kg	750 kg	20 m	DG-1001 20m	109.4	106.8
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m dvojí	102.7	102.7
2	472,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 dvojí	98.9	98.9
2	600 kg	600 kg	20 m	G-103 Twin III W dvojí	96.5	96.5
2	600 kg	600 kg	18 m	G-103 Twin III dvojí	95.4	95.4
2	670 kg	710 kg	18 m	G-103 Twin III SL dvojí	94.9	94.9
2	600 kg	650 kg	17,5 m	G-103 Twin Astir dvojí	92.6	92.3
2	600 kg	650 kg	17,5 m	G-103 Twin Basic dvojí	92.3	92.3
2	600 kg	650 kg	17,5 m	G-103 Twin Trainer dvojí	91.4	91.4
2	545 kg	600 kg	17 m	ASK-21 dvojí	88.6	88.6
2	510 kg	540 kg	15,8 m	SF-34 Delphin dvojí	85.2	85.2
2	535 kg	546 kg	16 m	PW-6U dvojí	82.0	82.0
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m dvojí	78.6	78.6
2	472 kg	500 kg	16,2 m	L-13 Blanik -dvojí	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik dvojí	76.0	76.0
2	445 kg	445 kg	16 m	LG-130 Kmotr dvojí	65.4	65.4
2	433 kg	433 kg	13,42 m	LF(LG)-109 Pionýr dvojí	53.7	53.7

rozpětí do 15m v etn , azeno podle: index s pít ží

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez pít že
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2	114.4
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1	114.4
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1	112.1
1	350 kg	550 kg	15 m	LAK 17B 15m -550kg	116.7	113.5
1	350 kg	525 kg	15 m	LAK 17B 15m -525kg	116.6	113.5
1	345 kg	500 kg	15 m	ASW 27B+W vysoké	116.3	112.9
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3	111.7
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3	112.1
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2	114.8
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2	112.3
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0	114.8
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9	112.6
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9	113.3
1	345 kg	500 kg	15 m	ASW 27B (bez W)	115.5	112.4
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5	114.1
1	402 kg	550 kg	15 m	LAK 17BT 15m -550kg	115.4	113.9
1	402 kg	525 kg	15 m	LAK 17BT 15m -525kg	115.3	113.9
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3	114.1
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1	113.3
1	404 kg	550 kg	15 m	LAK 17B FES 15m -550kg	115.1	113.5
1	404 kg	525 kg	15 m	LAK 17B FES 15m -525kg	115.0	113.5
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4	110.8
1	332 kg	525 kg	15 m	Ventus a 15m	113.6	110.9
1	360 kg	525 kg	15 m	LS-6c 15m	113.0	110.4
1	400 kg	430 kg	15 m	Ventus ct 15m +W	112.8	112.2
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6	108.8
1	415 kg	430 kg	15 m	Ventus cm 15m +W	112.6	112.2
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m+W	112.4	111.0
1	337 kg	525 kg	15 m	Ventus b 15m	112.4	109.7
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m+W	112.1	111.0
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8	108.6
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8	108.6
1	355 kg	525 kg	15 m	LS-8s 15m	111.7	108.7
1	388 kg	430 kg	15 m	Ventus bt 15m	111.5	110.7
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m	111.4	110.0
1	340 kg	500 kg	15 m	KKB 15	111.2	107.8
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m	111.1	110.0
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1	109.4
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m +W	110.3	108.1
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8	107.8
1	350 kg	525 kg	15 m	Discus a	109.4	105.8
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m	109.3	107.1
1	355 kg	525 kg	15 m	Discus b +W	109.2	105.5

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	330 kg	500 kg	15 m	ASW-24B +W	109.0	105.6
1	375 kg	500 kg	15 m	ASW-24E +W	108.7	106.8
1	330 kg	500 kg	15 m	ASW-24	108.0	105.0
1	355 kg	525 kg	15 m	Discus b	108.0	104.6
1	312 kg	500 kg	15 m	SZD-55 Promyk	107.9	103.4
1	338 kg	480 kg	15 m	DG-202 15m	107.5	105.5
1	335 kg	450 kg	15 m	DG-200 15m	107.4	105.4
1	406 kg	480 kg	15 m	DG-400 15m	107.0	106.4
1	360 kg	472 kg	15 m	LS-3 15m	106.2	104.4
1	345 kg	472 kg	15 m	LS-3a 15m	106.0	104.1
1	380 kg	515 kg	15 m	G-104 Speed Astir IIb	105.7	103.7
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3	101.7
1	342 kg	472 kg	15 m	LS-4	105.3	102.1
1	330 kg	450 kg	15 m	Pik-20D	103.3	101.5
1	352 kg	450 kg	15 m	Pik-20B	102.7	101.2
1	359 kg	454 kg	15 m	ASW-19 B	101.8	100.2
1	342 kg	439 kg	15 m	LS-1f (45)	101.6	100.1
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5	99.9
1	359 kg	408 kg	15 m	ASW-19	101.2	100.2
1	338 kg	418 kg	15 m	DG-100	101.1	99.1
1	338 kg	418 kg	15 m	DG-101 G	101.1	99.1
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1	99.6
1	342 kg	390 kg	15 m	LS-1f	101.0	100.1
1	327 kg	390 kg	15 m	Std. Cirrus	100.2	98.6
1	347 kg	408 kg	15 m	ASW-15B	99.2	97.9
2	472,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 dvojí	98.9	98.9
1	365 kg	375 kg	15 m	Phoebus B3	98.8	98.8
1	350 kg	408 kg	15 m	ASW-19 club	98.6	98.6
1	341 kg	341 kg	15 m	LS-1d	98.3	98.3
1	382,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 sólo	98.3	98.3
1	312 kg	312 kg	15 m	LS-1c	97.9	97.9
1	318 kg	318 kg	15 m	ASW-15	96.9	96.9
1	360 kg	450 kg	15 m	G-102 Astir cs 77	96.8	95.5
1	370 kg	450 kg	15 m	G-102 Astir cs	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std II	96.2	95.3
1	370 kg	450 kg	15 m	G-102 Astir Std III	96.2	95.3
1	337 kg	350 kg	15 m	Phoebus B1	95.2	95.2
1	350 kg	380 kg	15 m	VSO-10	95.1	95.1
1	360 kg	380 kg	15 m	G-102 Astir Jeans	94.2	94.2
1	330 kg	350 kg	15 m	Phoebus A1	94.0	94.0
1	350 kg	380 kg	15 m	VSO-10 C	94.0	94.0
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8	93.8
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1	93.1
1	351 kg	385 kg	15 m	SZD-32 Foka 5	90.2	90.2
1	340 kg	385 kg	15 m	SZD-23 Foka 4A	89.1	89.1
1	345 kg	345 kg	15 m	M-35	88.8	88.8
1	305 kg	340 kg	14,12 m	L-33 Sólo	85.9	85.9

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
2	510 kg	540 kg	15,8 m	SF-34 Delphin dvojí	85.2	85.2
1	420 kg	540 kg	15,8 m	SF-34 Delphin sólo	84.6	84.6
1	333 kg	345 kg	15 m	M-25	80.2	80.2
1	285 kg	290 kg	15 m	Z-25 Šohaj	75.3	75.3
1	293 kg	300 kg	15 m	LG-125 Šohaj 2	74.8	74.8
1	332 kg	335 kg	15 m	LK-425 Šohaj 3	74.0	74.0
2	433 kg	433 kg	13,42 m	LF(LG)-109 Pionýr dvojí	53.7	53.7
1	343 kg	433 kg	13,42 m	LF(LG)-109 Pionýr sólo	53.1	53.1

rozpětí od 15m do 18m v etn , azeno podle: index s pít ží

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez pít že
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9	115.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6	117.5
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5	114.6
1	360 kg	600 kg	18 m	LAK 17B 18m	120.4	114.7
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2	115.2
1	455 kg	600 kg	18 m	Ventus 2cxt 18m-600kg	120.2	116.7
1	412 kg	600 kg	18 m	LAK 17BT 18m	120.1	116.8
1	495 kg	600 kg	18 m	Ventus 2cxm 18m-600kg	119.9	117.8
1	414 kg	600 kg	18 m	LAK 17B FES 18m	119.8	116.7
1	455 kg	565 kg	18 m	Ventus 2cxt 18m-565kg	119.6	116.7
1	400 kg	600 kg	18 m	HpH 304S SHARK 18m	119.3	112.1
1	495 kg	565 kg	18 m	Ventus 2cxm 18m-565kg	119.3	117.8
1	465 kg	600 kg	18 m	HpH 304M SHARK 18m (600 kg max)	119.2	115.2
1	455 kg	600 kg	18 m	HpH 304SJ SHARK 18m (600 kg max)	119.2	114.9
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2	114.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1	113.3
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0	116.2
1	455 kg	573 kg	18 m	HpH 304SJ SHARK 18m (573 kg max)	118.6	114.9
1	465 kg	560 kg	18 m	HpH 304M SHARK 18m (560 kg max)	118.3	115.2
1	380 kg	525 kg	18 m	LS-6c 18m +W	117.8	113.7
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3	113.0
1	370 kg	575 kg	18 m	LS-8s 18m	116.5	111.5
1	410 kg	575 kg	18 m	LS-8t, LS-8st 18m	116.4	113.3
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3	111.6
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2	112.9
1	350 kg	500 kg	18 m	KKB 18	116.1	110.4
1	350 kg	525 kg	18 m	LS-8, LS-8b 18m	116.1	110.5
1	408 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9	115.2
1	418 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8	115.4
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1	112.4
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2	111.9
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1	113.1
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4	110.0
1	369 kg	430 kg	16,59 m	ASW-20 BL 16,59m	111.6	109.6
1	369 kg	380 kg	16,59 m	ASW-20 CL 16,59m	110.3	109.6
1	410 kg	460 kg	17 m	DG-400 17m	109.5	108.7
1	338 kg	450 kg	17 m	DG-200 17m	109.4	106.8
1	341 kg	450 kg	17 m	DG-202 17m	109.4	106.9
1	361 kg	380 kg	16,6 m	ASW-20 L+FL 16,6m	106.7	106.7
1	365 kg	370 kg	17 m	LS-3 17m	106.6	106.6

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ	CZ bez p ít že
1	350 kg	370 kg	17 m	LS-3a 17m	106.2	106.2
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m dvojí	102.7	102.7
1	485 kg	620 kg	18,2 m	Janus (b) 18,2m sólo	101.5	101.5
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8	99.0
1	355 kg	375 kg	17 m	Phoebus C	97.1	97.1
2	600 kg	600 kg	18 m	G-103 Twin III dvojí	95.4	95.4
2	670 kg	710 kg	18 m	G-103 Twin III SL dvojí	94.9	94.9
1	580 kg	710 kg	18 m	G-103 Twin III SL sólo	94.5	94.5
1	510 kg	600 kg	18 m	G-103 Twin III sólo	94.2	94.2
1	510 kg	650 kg	17,5 m	G-103 Twin Astir sólo	93.1	91.9
2	600 kg	650 kg	17,5 m	G-103 Twin Astir dvojí	92.6	92.3
2	600 kg	650 kg	17,5 m	G-103 Twin Basic dvojí	92.3	92.3
1	510 kg	650 kg	17,5 m	G-103 Twin Basic sólo	91.7	91.7
2	600 kg	650 kg	17,5 m	G-103 Twin Trainer dvojí	91.4	91.4
1	510 kg	650 kg	17,5 m	G-103 Twin Trainer sólo	90.9	90.9
2	545 kg	600 kg	17 m	ASK-21 dvojí	88.6	88.6
1	486 kg	500 kg	18,5 m	VSB-62 Vega	87.5	87.5
1	455 kg	600 kg	17 m	ASK-21 sólo	87.1	87.1
2	535 kg	546 kg	16 m	PW-6U dvojí	82.0	82.0
1	455 kg	546 kg	16 m	PW-6U sólo	81.4	81.4
1	335 kg	345 kg	16 m	VT-116 Orlík II	81.2	81.2
1	340 kg	345 kg	18 m	M-28	80.4	80.4
1	335 kg	345 kg	16 m	VT-16 Orlík	80.4	80.4
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m dvojí	78.6	78.6
1	405 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m sólo	77.1	77.1
2	472 kg	500 kg	16,2 m	L-13 Blanik -dvojí	76.0	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik dvojí	76.0	76.0
1	382 kg	500 kg	16,2 m	L-13 Blanik -sólo	75.0	75.0
1	400 kg	530 kg	16,2 m	L-23 Super Blanik sólo	75.0	75.0
2	445 kg	445 kg	16 m	LG-130 Kmotr dvojí	65.4	65.4
1	355 kg	445 kg	16 m	LG-130 Kmotr sólo	64.6	64.6

rozpětí více než 18m, azeno podle: index s píťží

INDEX LIST CZ

Posádká	Hmot. min	Hmot. max	Rozpětí	Typ kluzáku	CZ	CZ bez píťže
1	710 kg	850 kg	26,58 m	ASW-22BLE 26,58m+W	126.0	123.8
1	510 kg	750 kg	25,5 m	Nimbus 3 25,5m -750 kg	123.0	118.4
1	510 kg	700 kg	25,5 m	Nimbus 3 25,5m -700 kg	122.6	118.4
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	122.5	122.2
1	508 kg	750 kg	24,5 m	Nimbus 3 24,5m -750 kg	121.9	117.8
1	508 kg	700 kg	24,5 m	Nimbus 3 24,5m -700 kg	121.6	117.8
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5	114.2
2	600 kg	750 kg	20 m	Duo Discus XL	112.5	110.2
1	426 kg	472 kg	19 m	T-59D Kestrel 19m	112.3	110.9
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8	110.8
2	590 kg	750 kg	20 m	DG-1001 20m	109.4	106.8
2	600 kg	600 kg	20 m	G-103 Twin III W dvojí	96.5	96.5
1	510 kg	600 kg	20 m	G-103 Twin III W sólo	94.3	94.3

všechny kluzáky, azeno podle: index s p í t ž í

INDEX LIST CZ

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ
1	710 kg	850 kg	26,58 m	ASW-22BLE 26,58m+W	126.0
1	510 kg	750 kg	25,5 m	Nimbus 3 25,5m -750 kg	123.0
1	510 kg	700 kg	25,5 m	Nimbus 3 25,5m -700 kg	122.6
2	736 kg	750 kg	25,6 m	ASH-25M 25,6m +W	122.5
1	508 kg	750 kg	24,5 m	Nimbus 3 24,5m -750 kg	121.9
1	508 kg	700 kg	24,5 m	Nimbus 3 24,5m -700 kg	121.6
1	385 kg	600 kg	18 m	ASG 29 18m -600 kg	120.9
1	432 kg	600 kg	18 m	ASG 29E 18m -600 kg	120.6
1	395 kg	600 kg	18 m	Ventus 2cxa 18m -600 kg	120.5
1	360 kg	600 kg	18 m	LAK 17B 18m	120.4
1	415 kg	600 kg	18 m	Ventus 2cx 18m	120.2
1	455 kg	600 kg	18 m	Ventus 2cxt 18m-600kg	120.2
1	412 kg	600 kg	18 m	LAK 17BT 18m	120.1
1	495 kg	600 kg	18 m	Ventus 2cxm 18m-600kg	119.9
1	414 kg	600 kg	18 m	LAK 17B FES 18m	119.8
1	455 kg	565 kg	18 m	Ventus 2cxt 18m-565kg	119.6
1	400 kg	600 kg	18 m	HpH 304S SHARK 18m	119.3
1	495 kg	565 kg	18 m	Ventus 2cxm 18m-565kg	119.3
1	465 kg	600 kg	18 m	HpH 304M SHARK 18m (600 kg max)	119.2
1	455 kg	600 kg	18 m	HpH 304SJ SHARK 18m (600 kg max)	119.2
1	342 kg	500 kg	18 m	LAK 17A 18m	119.2
1	373 kg	525 kg	18 m	Ventus 2c 18m	119.1
1	386 kg	500 kg	18 m	LAK 17AT 18m	119.0
1	455 kg	573 kg	18 m	HpH 304SJ SHARK 18m (573 kg max)	118.6
1	465 kg	560 kg	18 m	HpH 304M SHARK 18m (560 kg max)	118.3
1	380 kg	525 kg	18 m	LS-6c 18m +W	117.8
1	354 kg	500 kg	17,6 m	Ventus c 17,6m	117.3
1	375 kg	550 kg	15 m	ASG 29 15m -550 kg	117.2
1	375 kg	525 kg	15 m	ASG 29 15m -525 kg	117.1
1	338 kg	525 kg	15 m	Ventus 2a 15m	117.1
1	350 kg	550 kg	15 m	LAK 17B 15m -550kg	116.7
1	350 kg	525 kg	15 m	LAK 17B 15m -525kg	116.6
1	370 kg	575 kg	18 m	LS-8s 18m	116.5
1	484 kg	580 kg	20,3 m	Nimbus 2, 2b	116.5
1	410 kg	575 kg	18 m	LS-8t, LS-8st 18m	116.4
1	345 kg	500 kg	15 m	ASW 27B+W vysoké	116.3
1	376 kg	565 kg	18 m	Discus 2c 18m	116.3
1	343 kg	525 kg	15 m	Ventus 2b 15m	116.3
1	353 kg	525 kg	15 m	Ventus 2c 15m	116.3
1	422 kg	550 kg	15 m	ASG 29E 15m -550 kg	116.2

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ
1	410 kg	565 kg	18 m	Discus 2T 18m	116.2
1	358 kg	525 kg	15 m	Ventus 2cxa 15m	116.2
1	350 kg	500 kg	18 m	KKB 18	116.1
1	350 kg	525 kg	18 m	LS-8, LS-8b 18m	116.1
1	422 kg	525 kg	15 m	ASG 29E 15m -525 kg	116.0
1	337 kg	500 kg	15 m	LAK 17A 15m	115.9
1	395 kg	525 kg	15 m	Ventus 2cx 15m	115.9
1	408 kg	430 kg	17,6 m	Ventus ct 17,6m	115.9
1	418 kg	430 kg	17,6 m	Ventus cm 17,6m	115.8
1	345 kg	500 kg	15 m	ASW 27B (bez W)	115.5
1	435 kg	525 kg	15 m	Ventus 2cxt 15m	115.5
1	402 kg	550 kg	15 m	LAK 17BT 15m -550kg	115.4
1	402 kg	525 kg	15 m	LAK 17BT 15m -525kg	115.3
1	455 kg	525 kg	15 m	Ventus 2cxm 15m	115.3
1	380 kg	500 kg	15 m	LAK 17AT 15m	115.1
1	404 kg	550 kg	15 m	LAK 17B FES 15m -550kg	115.1
1	337 kg	430 kg	16,6 m	Ventus a 16,6m	115.1
1	404 kg	525 kg	15 m	LAK 17B FES 15m -525kg	115.0
1	349 kg	525 kg	15 m	Ventus c 15m +W	114.4
1	342 kg	430 kg	16,6 m	Ventus b 16,6m	114.2
1	393 kg	430 kg	16,6 m	Ventus bt 16,6m	114.1
1	332 kg	525 kg	15 m	Ventus a 15m	113.6
1	360 kg	525 kg	15 m	LS-6c 15m	113.0
1	400 kg	430 kg	15 m	Ventus ct 15m +W	112.8
1	332 kg	525 kg	15 m	Discus 2a 15m	112.6
1	415 kg	430 kg	15 m	Ventus cm 15m +W	112.6
2	600 kg	750 kg	20 m	Duo Discus XL	112.5
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m+W	112.4
1	365 kg	450 kg	17,43 m	HpH 304 cz 17,4m	112.4
1	337 kg	525 kg	15 m	Ventus b 15m	112.4
1	426 kg	472 kg	19 m	T-59D Kestrel 19m	112.3
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m+W	112.1
1	342 kg	525 kg	15 m	Discus 2b 15m	111.8
1	342 kg	525 kg	15 m	Discus 2c 15m	111.8
2	667 kg	750 kg	20 m	Duo Discus XLT	111.8
1	355 kg	525 kg	15 m	LS-8s 15m	111.7
1	369 kg	430 kg	16,59 m	ASW-20 BL 16,59m	111.6
1	388 kg	430 kg	15 m	Ventus bt 15m	111.5
1	364 kg	525 kg	15 m	ASW-20 B(L) 15m	111.4
1	340 kg	500 kg	15 m	KKB 15	111.2
1	364 kg	454 kg	15 m	ASW-20 C(L) 15m	111.1
1	390 kg	525 kg	15 m	Discus 2T 15m	111.1
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m +W	110.3
1	369 kg	380 kg	16,59 m	ASW-20 CL 16,59m	110.3
1	355 kg	450 kg	15 m	HpH 304 cz 15m	109.8
1	410 kg	460 kg	17 m	DG-400 17m	109.5
2	590 kg	750 kg	20 m	DG-1001 20m	109.4
1	338 kg	450 kg	17 m	DG-200 17m	109.4

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ
1	341 kg	450 kg	17 m	DG-202 17m	109.4
1	350 kg	525 kg	15 m	Discus a	109.4
1	354 kg	454 kg	15 m	ASW-20 (A)+F 15m	109.3
1	355 kg	525 kg	15 m	Discus b +W	109.2
1	330 kg	500 kg	15 m	ASW-24B +W	109.0
1	375 kg	500 kg	15 m	ASW-24E +W	108.7
1	330 kg	500 kg	15 m	ASW-24	108.0
1	355 kg	525 kg	15 m	Discus b	108.0
1	312 kg	500 kg	15 m	SZD-55 Promyk	107.9
1	338 kg	480 kg	15 m	DG-202 15m	107.5
1	335 kg	450 kg	15 m	DG-200 15m	107.4
1	406 kg	480 kg	15 m	DG-400 15m	107.0
1	361 kg	380 kg	16,6 m	ASW-20 L+FL 16,6m	106.7
1	365 kg	370 kg	17 m	LS-3 17m	106.6
1	360 kg	472 kg	15 m	LS-3 15m	106.2
1	350 kg	370 kg	17 m	LS-3a 17m	106.2
1	345 kg	472 kg	15 m	LS-3a 15m	106.0
1	380 kg	515 kg	15 m	G-104 Speed Astir IIb	105.7
1	353 kg	450 kg	15 m	HpH 304c Wasp	105.3
1	342 kg	472 kg	15 m	LS-4	105.3
1	330 kg	450 kg	15 m	Pik-20D	103.3
2	575 kg	620 kg	18,2 m	Janus (b) 18,2m dvojí	102.7
1	352 kg	450 kg	15 m	Pik-20B	102.7
1	359 kg	454 kg	15 m	ASW-19 B	101.8
1	342 kg	439 kg	15 m	LS-1f (45)	101.6
1	485 kg	620 kg	18,2 m	Janus (b) 18,2m sólo	101.5
1	383 kg	535 kg	15 m	SZD-48 Jantar std. 2 (3)	101.5
1	359 kg	408 kg	15 m	ASW-19	101.2
1	338 kg	418 kg	15 m	DG-100	101.1
1	338 kg	418 kg	15 m	DG-101 G	101.1
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1
1	369 kg	460 kg	15 m	SZD-41 A Jantar std.	101.1
1	342 kg	390 kg	15 m	LS-1f	101.0
1	394 kg	460 kg	17,74 m	Cirrus VTC	100.8
1	327 kg	390 kg	15 m	Std. Cirrus	100.2
1	347 kg	408 kg	15 m	ASW-15B	99.2
2	472,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 dvojí	98.9
1	365 kg	375 kg	15 m	Phoebus B3	98.8
1	350 kg	408 kg	15 m	ASW-19 club	98.6
1	341 kg	341 kg	15 m	LS-1d	98.3
1	382,5 kg	472,5 kg	14,97 m	TAURUS mod. 503 sólo	98.3
1	312 kg	312 kg	15 m	LS-1c	97.9
1	355 kg	375 kg	17 m	Phoebus C	97.1
1	318 kg	318 kg	15 m	ASW-15	96.9
1	360 kg	450 kg	15 m	G-102 Astir cs 77	96.8
2	600 kg	600 kg	20 m	G-103 Twin III W dvojí	96.5
1	370 kg	450 kg	15 m	G-102 Astir cs	96.2
1	370 kg	450 kg	15 m	G-102 Astir Std II	96.2

Pos ádk a	Hmot. min	Hmot. max	Rozp tí	Typ kluzáku	CZ
1	370 kg	450 kg	15 m	G-102 Astir Std III	96.2
2	600 kg	600 kg	18 m	G-103 Twin III dvojí	95.4
1	337 kg	350 kg	15 m	Phoebus B1	95.2
1	350 kg	380 kg	15 m	VSO-10	95.1
2	670 kg	710 kg	18 m	G-103 Twin III SL dvojí	94.9
1	580 kg	710 kg	18 m	G-103 Twin III SL sólo	94.5
1	510 kg	600 kg	20 m	G-103 Twin III W sólo	94.3
1	360 kg	380 kg	15 m	G-102 Astir Jeans	94.2
1	510 kg	600 kg	18 m	G-103 Twin III sólo	94.2
1	330 kg	350 kg	15 m	Phoebus A1	94.0
1	350 kg	380 kg	15 m	VSO-10 C	94.0
1	322 kg	322 kg	15 m	TST-10M Atlas	93.8
1	510 kg	650 kg	17,5 m	G-103 Twin Astir sólo	93.1
1	300 kg	300 kg	15 m	TST-10 Atlas	93.1
2	600 kg	650 kg	17,5 m	G-103 Twin Astir dvojí	92.6
2	600 kg	650 kg	17,5 m	G-103 Twin Basic dvojí	92.3
1	510 kg	650 kg	17,5 m	G-103 Twin Basic sólo	91.7
2	600 kg	650 kg	17,5 m	G-103 Twin Trainer dvojí	91.4
1	510 kg	650 kg	17,5 m	G-103 Twin Trainer sólo	90.9
1	351 kg	385 kg	15 m	SZD-32 Foka 5	90.2
1	340 kg	385 kg	15 m	SZD-23 Foka 4A	89.1
1	345 kg	345 kg	15 m	M-35	88.8
2	545 kg	600 kg	17 m	ASK-21 dvojí	88.6
1	486 kg	500 kg	18,5 m	VSB-62 Vega	87.5
1	455 kg	600 kg	17 m	ASK-21 sólo	87.1
1	305 kg	340 kg	14,12 m	L-33 Sólo	85.9
2	510 kg	540 kg	15,8 m	SF-34 Delphin dvojí	85.2
1	420 kg	540 kg	15,8 m	SF-34 Delphin sólo	84.6
2	535 kg	546 kg	16 m	PW-6U dvojí	82.0
1	455 kg	546 kg	16 m	PW-6U sólo	81.4
1	335 kg	345 kg	16 m	VT-116 Orlík II	81.2
1	340 kg	345 kg	18 m	M-28	80.4
1	335 kg	345 kg	16 m	VT-16 Orlík	80.4
1	333 kg	345 kg	15 m	M-25	80.2
2	495 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m dvojí	78.6
1	405 kg	530 kg	18,2 m	L-23 Super Blanik 18,2m sólo	77.1
2	472 kg	500 kg	16,2 m	L-13 Blanik -dvojí	76.0
2	490 kg	530 kg	16,2 m	L-23 Super Blanik dvojí	76.0
1	285 kg	290 kg	15 m	Z-25 Šohaj	75.3
1	382 kg	500 kg	16,2 m	L-13 Blanik -sólo	75.0
1	400 kg	530 kg	16,2 m	L-23 Super Blanik sólo	75.0
1	293 kg	300 kg	15 m	LG-125 Šohaj 2	74.8
1	332 kg	335 kg	15 m	LK-425 Šohaj 3	74.0
2	445 kg	445 kg	16 m	LG-130 Kmotr dvojí	65.4
1	355 kg	445 kg	16 m	LG-130 Kmotr sólo	64.6
2	433 kg	433 kg	13,42 m	LF(LG)-109 Pionýr dvojí	53.7
1	343 kg	433 kg	13,42 m	LF(LG)-109 Pionýr sólo	53.1